



## Spare Parts for N90PT

Item#	Illus. #	Description
107490	1	GRIP,HANDLE
110005	1	FRAME
N70118	2	SEAL, CYLINDER CAP
104193	3	ASSEMBLY,CYLINDER CAP
N80161	4	PISTON STOP
104059	5	HEAD VALVE
101256	6	SPRING,COMPRESSION
851438	7	O-RING,2.236X.115
MRG041630	8	O-RING,1.638X.118
T55031	9	RING, BUMPER
MSC6100-25	11	SCREW,SHCS,M6X1.00X25
MSF8125-25	13	SCREW, SFHCS M8 X 1.25X25
102506	14	COVER,EXHAUST
102549	27	PIN,SPECIAL SPIRAL
MPP030020	28	PIN,SPIROL M3X20MM
TVA6	30	KIT, TRIGGER VALVE
102794	31	GUIDE,TRIP
N70167	36	END CAP
N50082A	36	ASSEMBLY,TRIGGER
MRG049431	37	O-RING,2.343X.118
N70133	39	PISTON,MAIN
100338	39	REPLACEMENT DRIVER ASSEM.
N80367A	39	PISTON DRIVER ASSY.
851439	40	O-RING,1.689X.190
101236	42	O-RING,2.250X.115
N80168	42	RING,CYLINDER
N80169	42	SEAL,CHECK
N80170	42	SLEEVE,CYLINDER
N70155	43	CYLINDER SEAL

MRG084431	46	O-RING,3.323X.122
N70156	47	BUMPER - A
N70157	48	BUMPER - B
N80354	49	GASKET, NOSE
105022	50	LOCATOR PLATE
100851	51	NOSE
N80356	52	SHOCK RING
N80357	53	SPACER
MSC8125-16	54	SCREW,SHCS,M8X1.25X16
N70120	55	NUT, TORQUE
108576	56	LOWER C.T.ASSEM.COMBINATION
102793	57	TRIP,UPPER
MHE6100-100	58	NUT,ESN M6X1
N80132	60	C.T. SPRING - N80
MSC8125-28	61	SCREW, SHCS M8X28MM METRIC
102780	62	ASSEMBLY, MAGAZINE
MSB6100-12	63	SCREW,SBHCS,M6X1.00X12
100855	64	BRACKET, MOUNTING
MSC6100-30	65	SCREW,SHCS,M6X1.00X30
MPW6.2	66	WASHER.SPECIAL
N70143	67	BUSHING - RUBBER
105411	68	KIT,PUSHER ASSEMBLY
N16175A	69	PUSHER SPRING ASSEMBLY
N80340	70	SPACER MAGAZINE
MSC4070-45	71	SCREW, HSHCS M4 X 45
LW8	72	WASHER,#8 LOCK
N80332	73	LATCH STOP
N80336	74	BUSHING,LATCH SPRING
MHE4070-100	75	NUT, ESN M4 X 0.7
N80335	76	SPRING,TORSION
107451	77	PUSHER LATCH

MSB4070-10	78	SCREW,SBHCS,M4X0.70X10
103943	79	SPACER,SPRING
112767	81	LABEL,BOSTITCH
100151	82	LABEL, WARNING CT/ST
86459	83	O-RING,.614X.070
MRG019824	84	O-RING,.780X.094
102782	87	LINER,MAGAZINE
100387	100	SPRING, COMPRESSION
851756	101	HANGER
SEQ1	104	KIT,SEQUENTIAL TRIP CONV.
MPW6.3	105	WASHER,PWN M6
108387	124	LABEL,N90PT
105082	125	ROLLER
112720	126	LABEL,N79 CLIP HEAD FAST.